









NINEARARS[®]

锂电钻
LITHIUM ELECTRIC DRILL






FH-6312S	
Model	FH-6312S
Function	  
Rated voltage	12V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	19N.M
Max drilling diameter	0.8-10MM






FH-6316S	
Model	FH-6316S
Function	  
Rated voltage	16.8V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	24N.M
Max drilling diameter	0.8-10MM






FH-6318S	
Model	FH-6318S
Function	  
Rated voltage	21V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	28N.M
Max drilling diameter	0.8-10MM






FH-6712S	
Model	FH-6712S
Function	   impact drill screwdriver
Rated voltage	12V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	19N.M
Max drilling diameter	0.8-10MM






FH-6912S	
Model	FH-6912S
Function	   impact drill screwdriver
Rated voltage	12V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	19N.M
Max drilling diameter	0.8-10MM






FH-6716S	
Model	FH-6716S
Function	   impact drill screwdriver
Rated voltage	16.8V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	24N.M
Max drilling diameter	0.8-10MM






FH-6916S	
Model	FH-6916S
Function	   impact drill screwdriver
Rated voltage	16.8V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	24N.M
Max drilling diameter	0.8-10MM



FH-6718S	
Model	FH-6718S
Function	   impact drill screwdriver
Rated voltage	21V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	28N.M
Max drilling diameter	0.8-10MM



FH-6918S	
Model	FH-6918S
Function	   impact drill screwdriver
Rated voltage	21V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	28N.M
Max drilling diameter	0.8-10MM



FH-6212S	
Model	FH-6212S
Function	
Rated voltage	12V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	19N.M
Max drilling diameter	0.8-10MM



BRUSHLESS DRILL

FH-6221WS	
Model	FH-6221WS
Function	
Rated voltage	21V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	45N.M
Max drilling diameter	0.8-10MM



FH-6216S	
Model	FH-6216S
Function	
Rated voltage	16.8V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	24N.M
Max drilling diameter	0.8-10MM



FH-6112S	
Model	FH-6112S
Function	
Rated voltage	12V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	19N.M
Max drilling diameter	0.8-10MM



FH-6218S	
Model	FH-6218S
Function	
Rated voltage	21V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	28N.M
Max drilling diameter	0.8-10MM



FH-6116S	
Model	FH-6116S
Function	
Rated voltage	16.8V
Battery capacity	1.5A
No-load speed	0-350/0-1350R/MIN
Max torque	24N.M
Max drilling diameter	0.8-10MM